Size R0.1~R1











Material Applications (★ Highly Recommended ● Recommended ○ Suggested)

	Work Material																
Carbon Stee l s	Alloy Stee l s	Prehardened Steels	Hardened Steels				Cast Iron Aluminum Alloys	Graphite Co	Copper	Plastics	Plastics Glass Filled	Titanium Alloys	Heat Resistant		Hard Brittle (Non-		
\$45C \$55C	SK/SCM SUS	NAK HPM	~ 50HRC	~ 55HRC	~ 60HRC	~ 65HRC	~ 70HRC		,				Plastics	ŕ	Alloys		Metallic) Materials
																*	•

Features


Long Neck Ball type End Mills for finishing of Cemented Carbide and Hard Brittle Materials. Provides excellent machined surface quality due to the sharp cutting edge and optimized edge treatment. Maintains excellent dimensional accuracy for a long time due to the high contour accuracy of the cutting edge and the excellent wear resistance of diamonds.

Label Sample



#001 φD1.002 R0.504/0.502

Diameter and Ball R accuracy measurements are printed on the label to support high precision milling.



Be sure to confirm the interference between the inclined work piece and the shank part by actual measurement.

Total 5 models Unit (mm)

Model Number	Radius of Ball Nose R	Effective Length & 1	Length of Cut &	Neck Diameter <i>Ф</i> d₁	Shank Taper Angle Bta	Overall Length L	Shank Diameter ϕ d	Suggested Retail Price ¥
UPDLB 1002-004	R0.1	0.4	0.1	0.18	16°	40	4	Open price
UPDLB 1004-008	R0.2	8.0	0.2	0.38	16°	40	4	Open price
UPDLB 1006-010	R0.3	1	0.3	0.58	16°	40	4	Open price
UPDLB 1010-020	R0.5	2	0,5	0.95	16°	40	4	Open price
UPDLB 1020-030	R1	3	1	1.95	16°	40	4	Open price

d/3mm Shark V Series












Milling Conditions for UPDLB

For finishing of bottom surface

WC	RK MATERIA	.L	CEMENTED CARBIDE					
Model Number	Radius of Ball Nose (mm)	Effective Length (mm)	Spindle Speed (min ⁻¹)	Feed Rate (mm/min)	a p (mm)	a e (mm)		
1002-004	R0.1	0.4	40,000	100	0.001	0.001		
1004-008	R0.2	0.8	40,000	150	0.001	0.001		
1006-010	R0.3	1	40,000	200	0.001	0.001		
1010-020	R0.5	2	40,000	400	0.001	0.003		
1020-030	R1	3	40,000	600	0.001	0.005		

For Profile milling

WC	RK MATERIA	۱L	CEMENTED CARBIDE					
Model Number	Radius of Ball Nose (mm)	Effective Length (mm)	Spindle Speed (min ⁻¹)	Feed Rate (mm/min)	a p (mm)	a e (mm)		
1002-004	R0.1	0.4	40,000	100	0.001	0.001		
1004-008	R0.2	0.8	40,000	150	0.002	0.001		
1006-010	R0.3	1	40,000	200	0.003	0.001		
1010-020	R0.5	2	40,000	400	0.005	0.003		
1020-030	R1	3	40,000	600	0.01	0.005		



Note:

- Note:

 Use a machine with high accuracy for stable cutting.


 Non-water soluble coolant recommended. Supply as a mist or external coolant. Take fire prevention precautions to avoid fire hazards caused by sparks igniting during machinig or tool breakage.

 Shorten overhang as much as possible.

 Adjust cutting conditions as necessary as machine spec and other conditions may vary.

 These cutting parameters show reference value. Adjust the cutting conditions to the desired machined surface finish.

UPDLB Milling Example for Finishing UDCBF / UPDLB R0.5 Cemented Carbide VF-20 (92.5HRA)




Milling Area: 10.2 × 10.2 × Depth 1.4 mm

Work Size : $20 \times 20 \times 10 \text{ mm}$

After Finishing





Milling Process	Tool	Spindle Speed (min ⁻¹)	Feed Rate (mm/min)	a _₽ (mm)	a ₀ (mm)	Allowance (mm)	Coolant	Cycle Time
Roughing	UDCBF 2010-0070	30,000	300	0.05	0.25	0.005	Air Dlaw	30 min
Semi-finishing	(R0.5 x L0.7)	30,000	300	0.001 (Cusp Height)	0,06321	0.005	Air Blow	12 min
Finishing	UPDLB 1010-020 (R0.5 × EL2)	40,000	400	0.0035	0.00495	0	Oil Mist	1 h 30 min

φ3mm Shank V Series

UDC-PCD

CBN Series

Square Long Neck Square

Long Neck

Taper Neck Radius

Ball / Long Shank Ball

Long Neck Ball Taper Neck

Taper

Barrel

Spiral V Cutter

Drill

Technical Data